

# FIBER 12 ECONYL





# FIBER 12 ECONYL

## PHYSICAL PROPERTIES


Content	100% Fire Resistant, Acoustic Sound Absorbing Regenerated Nylon with Patented Snowsound Technology
Backing	Unbacked
Width	55" / 140 cm (tolerance + 0 – 3 cm)
Weight	9.7 oz per square yard / 14.8 oz per linear yard
Thickness	1.6 mm

## ACOUSTIC PERFORMANCE & NOISE REDUCTION RATING

Absorption Coefficient & NRC	Please refer to the online Technical Sheets for acoustical testing details
------------------------------	--

## PERFORMANCE


Flame Resistance	Passes NFPA 701 // NFPA 260 // CAL. TB 117 // UL 723 Class A // ASTM E 84 Class A
Environment	100% Infinitely Recyclable and GREENGUARD GOLD Certified
Abrasion Resistance	750,000 rubs /cycles (tested according to Martindale Method)
Colorfastness to Light	Grade 6/7 – “Excellent” (Passes AATCC 16 / ISO 105–B02:2014)
Colorfastness to Wet and Dry Crocking	Wet & Dry – Grade 4/5 (Passes AATCC 8 / ISO 105–X12: 2016)
Propensity to Surface Fuzzing and Pilling	Grade 5 – “no change” (Passes ISO 12945–2:2021)
Washing & Maintenance	Normal machine washing up to 86 degrees Fahrenheit. Ironing on low heat acceptable. Dry cleaning is acceptable (any solvent except Trichloroethylene). Do not tumble dry.




# FIBER 12 ECONYL SWATCHES

## SPECS


Rolls	27.3yd/25m	8.7yd/8m
-------	------------	----------




**Viper**  
 27.3 yd    7F12-25-1200  
 8.7 yd    7F12-6-1200




**Berry**  
 27.3 yd    7F12-25-1201  
 8.7 yd    7F12-6-1201




**Chess**  
 27.3 yd    7F12-25-1202  
 8.7 yd    7F12-6-1202




**Igloo**  
 27.3 yd    7F12-25-1203  
 8.7 yd    7F12-6-1203



**Camel**  
 27.3 yd    7F12-25-1204  
 8.7 yd    7F12-6-1204



**Ribbon**  
 27.3 yd    7F12-25-1205  
 8.7 yd    7F12-6-1205



Roll sizes by-the-yard between 8.7 yards and 27.3 yards are available on request with extended lead time and cutting fee. Please contact your local representative for information and pricing.