

# SNOWSOUND



SNOWKING

**“More than a sofa, we thought about a silent character who solemnly occupies corners (that tend to be spaces looking for a purpose) and affirms a strong stage presence while providing a precious contribution to the acoustic well-being of the community. When he finds himself with other elements of his family, they join to form islands, delimiting spaces, suggesting noble perspectives just like him: Snowking!”**

(a+b) Dominoni, Quaquaro,  
Designer






# SNOWKING

A modular system of upholstered sound-absorbing seats with a supporting structure made of shaped wooden material designed to independently absorb low frequencies. The seats are covered with soundabsorbing polyurethane and polyester, combined with upholstery in sound-absorbing Snowsound Fiber 3 Melange and Fiber 6 Velvet fabrics made of polyester fibers. This combination allows the seat to effectively absorb different frequencies in the best possible way.

The connection between two or more seats is established in the upper part by means of painted steel connectors screwed to the backrest structure and placed between the backrests and the crowns. In the lower part, the connection is made by means of metal attachments.










# A+E TECHNOLOGY ELECTROMAGNETIC REDUCTION




Snowsound metallized high-tech polymer fabric, infused with pure silver, serves a specific purpose: to reduce the power of electromagnetic fields while still allowing the use of smartphones and Wi-Fi networks. Unlike some materials that completely block signals, this fabric offers a balanced approach, ensuring functionality while minimizing electromagnetic exposure. By integrating this radio frequency-reducing fabric into sofas and other sound-absorbing elements, it combines the benefits of sound absorption with the reduction of electromagnetic fields. This patented technology represents a significant advancement in promoting the well-being of individuals by addressing concerns related to electromagnetic exposure.


Standard	Frequency MHz (Start-Stop)	Residual Signal Power
GSM / 850	825-895	0.85%
GSM / 900	870-960	3.34%
UMTS	1920-2170	0.56%
LTE	2510-2690	0.30%
WIFI	2400-2500	0.60%
5G	3400-3800	0.79%
WIFI	5100-5800	0.75%



## PRODUCT SPECS: SNOWKING




Model No. 7DDQ1




Model No. 7DDQ2


## PRODUCT SPECS: CONNECTING HARDWARE



Model No. 7DDQP2  
Connects 2 Snowking sofas




Model No. 7DDQP3  
Connects 3 Snowking sofas



Model No. 7DDQP4  
Connects 4 Snowking sofas

## FABRIC FINISH: FIBER 3 MELANGE



Gray Ice 300




Anthracite 302



Gray Taupe 303




Gray Beige 304



Azure 305



Gray Burgundy 306



Gray Plum 307



Gray Blue 308



Gray Green 309




Gray Gold 310




Carbon Gray 311




Patina 312



Evergreen 313



Admiral Blue 314



Fiji 315



Ivory 316

### PHYSICAL PROPERTIES

Content

100% Inherently Fire Resistant, Acoustic Sound Absorbing Polyester Fibers with Patented Snowsound Technology

### ACOUSTIC PERFORMANCE & NOISE REDUCTION RATING

Absorption Coefficient & NRC

Please refer to the online Technical Sheets for acoustical testing details

### PERFORMANCE

Flame Resistance

Passes NFPA 701 // NFPA 260 // CAL. TB 117 // UL 723 Class A // ASTM E 84 Class A

Environment

100% Recyclable and GREENGUARD GOLD Certified  
LEED v4 Credits and Certification, Declare Label, LBC Red List Free

Colorfastness to Light

Grade 7 – “Outstanding” (Passes AATCC 16 / ISO 105-B02:2014)

Propensity to Surface Fuzzing & Pilling

Grade 5 – “no change” (Passes ISO 12945-2:2002)



# FABRIC FINISH: FIBER 6 VELVET



## PHYSICAL PROPERTIES

Content	100% Inherently Fire Resistant, Acoustic Sound Absorbing Polyester Fibers with Patented Snowsound Technology
---------	--

## ACOUSTIC PERFORMANCE & NOISE REDUCTION RATING

Absorption Coefficient & NRC	Please refer to the online Technical Sheets for acoustical testing details
------------------------------	--

## PERFORMANCE

Flame Resistance	Passes NFPA 701 // NFPA 260 // CAL. TB 117 // UL 723 Class A // ASTM E 84 Class A
Environment	100% Recyclable and GREENGUARD GOLD Certified LEED v4 Credits and Certification, Declare Label, LBC Red List Free
Colorfastness to Light	Grade 6/7 – “Excellent” (Passes AATCC 16 / ISO 105-B02:2014)
Propensity to Surface Fuzzing & Pilling	Grade 5 – “no change” (Passes ISO 12945-2:2002)

# SNOWSOUND

**SNOWSOUND USA HQ**  
Snowsound USA  
10018 Santa Fe Springs Road  
Santa Fe Springs, CA 90670  
Tel. 562.903.9550  
[info@snowsoundusa.com](mailto:info@snowsoundusa.com)  
[www.snowsoundusa.com](http://www.snowsoundusa.com)



**Declare.**

Scan for more products



Hear the difference



**LOS ANGELES SHOWROOM**  
Pacific Design Center  
Green Building, Suite G-152  
8687 Melrose Ave  
West Hollywood, CA 90069

**CHICAGO SHOWROOM**  
222 Merchandise Mart Plaza  
Floor 11, Suite 1197  
Chicago, IL 60654 USA

**NEW YORK SHOWROOM**  
New York Design Center (NYDC)  
200 Lexington Ave  
Floor 11, Suite 1106  
New York, NY 10016 USA

©2024 Snowsound USA. All rights reserved.  
Follow us: @snowsoundusa

