

"A comfortable sound-absorbing object covered with Snowsound-Fiber 3 Melange fabric and, internally, consisting of technopolymer soundabsorbing padding and wood."


Paola Navone – Otto Studio, Designer





ACOUSTIC POUFS& COFFEE TABLES

Coffee tables are crafted with a load-bearing structure made of wood, covered with sound-absorbing polyurethane and polyester. This, combined with the Snowsound Fiber sound-absorbing fabric upholstery, allows the elements to effectively absorb different frequencies. Each element is equipped with 4 technopolymer feet. The solid table tops are made of MDF with wrapped oak-veneered wood. The table tops are fixed to the structure using steel plates.













PRODUCT SPECS: SNOWPOUF










Model No.

7SN2 Model No.

7SN3 Model No.

7SN4

FABRIC FINISH: FIBER 3 MELANGE










Please refer to the online Technical Shoots for acquestical tecting details







313 Fiji Evergreen

PHYSICAL PROPERTIES

Absorption Coefficient 9 NDC


Content 100% Inherently Fire Resistant, Acoustic Sound Absorbing Polyester Fibers with **Patented Snowsound Technology**

ACOUSTIC PERFORMANCE & NOISE REDUCTION RATING


Absorption Coemcient & NRC	Please refer to the online Technical Sheets for acoustical testing details
PERFORMANCE	
Flame Resistance	Passes NFPA 701 // NFPA 260 // CAL. TB 117 // UL 723 Class A // ASTM E 84 Class A
Environment	100% Recyclable and GREENGUARD GOLD Certified
	LEED v4 Credits and Certification, Declare Label, LBC Red List Free
Abrasion Resistance	50,000 rubs /cycles (tested according to Martindale Method)
Colorfastness to Light	Grade 7 - "Outstanding" (Passes AATCC 16 / ISO 105-B02:2014)
Colorfastness to Crocking	Wet – Grade 5. Dry – Grade 4/5. (Passes AATCC 8 / ISO 105-X12: 2016)
Propensity to Surface Fuzzing & Pilling	Grade 5 - "no change" (Passes ISO 12945-2:2002)

Product Cutsheet SNOWSOUND

PRODUCT SPECS: SNOWPOUF



FABRIC FINISH: FIBER 12 ECONYL



PHYSICAL PROPERTIES

Absorption Coefficient & NRC

Content 100% Inherently Fire Resistant, Acoustic Sound Absorbing Regenerated Nylon with Patented Snowsound Technology

Please refer to the online Technical Sheets for acoustical testing details

ACOUSTIC PERFORMANCE & NOISE REDUCTION RATING

PERFORMANCE	
Flame Resistance	Passes NFPA 701 // NFPA 260 // CAL. TB 117 // UL 723 Class A // ASTM E 84 Class A
Environment	100% Infinitely Recyclable and GREENGUARD GOLD Certified
	LEED v4 Credits and Certification, Declare Label, LBC Red List Free
Abrasion Resistance	750,000 rubs /cycles (tested according to Martindale Method)
Colorfastness to Light	Grade 6/7 – "Excellent" (Passes AATCC 16 / ISO 105-B02:2014)
Colorfastness to Crocking	Wet & Dry – Grade 4/5 (Passes AATCC 8 / ISO 105-X12: 2016)
Propensity to Surface Fuzzing & Pilling	Grade 5 – "no change" (Passes ISO 12945–2:2002)

SNOWSOUND Product Cutsheet 7

SNOWSOUND

SNOWSOUND USA HQ Snowsound USA 10018 Santa Fe Springs Road Santa Fe Springs, CA 90670 Tel. 562.903.9550 info@snowsoundusa.com www.snowsoundusa.com













Scan for more products



Hear the difference



LOS ANGELES SHOWROOM **Pacific Design Center** Green Building, Suite G-152 8687 Melrose Ave West Hollywood, CA 90069

CHICAGO SHOWROOM 222 Merchandise Mart Plaza Floor 11, Suite 1197 Chicago, IL 60654 USA

NEW YORK SHOWROOM New York Design Center (NYDC) 200 Lexington Ave Floor 11, Suite 1106 New York, NY 10016 USA









