
FIBER 7 VELO SHEER



FIBER 7 VELO SHEER



PHYSICAL PROPERTIES	
Content	100% Fire Resistant, Acoustic Sound Absorbing Polyester Fibers with Patented Snowsound Technology
Backing	Unbacked
Width	130" / 330 cm (tolerance + 0 – 3 cm)
Weight	3.3 oz per square yard / 12 oz per linear yard

ACOUSTIC PERFORMANCE & NOISE REDUCTION RATING	
Absorption Coefficient & NRC	Please refer to the online Technical Sheets for acoustical testing details


PERFORMANCE	
Flame Resistance	Passes NFPA 701 // NFPA 260 // CAL. TB 117 // UL 723 Class A // ASTM E84 Class A
Environment	100% Recyclable and GREENGUARD GOLD Certified
Thermal & Visual Comfort	Data available according to standard ISO 14501:2006 – Solar Transmittance / Light Transmittance / UV Transmittance / Solar Reflectance / Light Reflectance / Solar Absorption / Light Absorption / Glare Control / Night Privacy / Visual Contact with the outside / Daylight Utilization / Light Transmittance (openness factor) / Solar Factor / Secondary Heat Transfer / Solar Transmittance / Shading Coefficient
Washing & Maintenance	Normal machine washing up to 86 degrees Fahrenheit. Ironing on low heat acceptable. Dry cleaning is acceptable (any solvent except Trichloroethylene). Do not tumble dry.

FIBER 7 VELO SWATCHES


SPECS

BY THE YARD | Min. roll size 6.5 yards | Max. roll size: 54.6 yards


Ghost 700



Taupe 701




Tan 702



Steel 703


Pearl 704




Walnut 705




Sage 706



Lagoon 707



Blush 708



Fiber 7 Velo is sold by the yard. Maximum yardage per roll is 54.6 yards. Minimum yardage per roll is 6.5 yards.Please contact your local representative or **info@snowsoundusa.com** for more information and samples.